



DIVISION MEMORANDUM

No. 71, s.2018

To: **SCHOOL GOVERNANCE AND OPERATIONS DIVISION CHIEF  
PUBLIC ELEMENTARY AND SECONDARY SCHOOL HEADS**

From: **AGUSTINES E. CEPE, Ph.D., CESO VI**  
Schools Division Superintendent

Subject: **ARCHITECTURAL DESIGN STANDARDS FOR MARKERS OF SCHOOL I.D. NUMBERS  
ON ROOFINGS**

Date: June 25, 2018

1. Relative to RM 325, s.2018 on the observations on markers of school identification numbers on roofing, the School Governance and Operations Division (SGOD) hereby enforces the proper markings of school identification numbers based on the following specifications per DepEd Order No.,s.2017 dated December 15,2017 entitled Establishing the Minimum Performance Standards and Specifications for DepEd School Buildings.


A. Section V.m. states that Roof Makings shall be painted on the main buildings or the tallest building of the school.They shall include the DepEd logo and School Identification Number.

B.Details and specifications shall be as follows:

Roof Markings	Size	Color
DepEd Logo "Refer to DepEd Order No.69,s.2003 entitled DepEd Logo"	3.80m Heigth 7.60m Length	Existing DepEd Logo Design
School I.D. Number	2.00m Heigth 0.30m Thick	Blue with Color White Outline

**Note: Distance between the deped Logo and the School I.D. Number shall be at least 2.00m**

2. For reference, guidance, and strict compliance.



Copies Furnish persons concerned  
Record Section  
SGOD/m&e/asp/nll